

Higher Quality

Better Service!

# Exam Actual

QUESTION & ANSWER

Accurate study guides, High passing rate!

Exam Actual provides update free of charge in  
one year!

<http://www.examactual.com>

**Exam : 400-051**

**Title : CCIE Collaboration**

**Version : DEMO**

1.Which Device Pool configuration setting will override the device-level settings only when a device is roaming within a device mobility group?

- A. Location
- B. Media Resource Group List
- C. Calling Party Transformation CSS
- D. Region
- E. SRST Reference

**Answer: B**

2.Refer to the exhibit.


```
!  
voice register dn 1  
  number 2001  
  call-forward b2bua busy 2100  
  shared-line  
  huntstop channel 6  
!  
voice register pool 1  
  busy-trigger-per-button 4  
  id mac 1111.1111.1111  
  type 7965  
  number 1 dn 1  
!  
voice register pool 2  
  busy-trigger-per-button 5  
  id mac 2222.2222.2222  
  type 7965  
  number 1 dn 1  
!
```

How many simultaneous inbound calls can be handled by these two IP phones?

- A. 9
- B. 4
- C. 10
- D. 6
- E. 2

**Answer: E**

3.Refer to the exhibit.



Which statement describes the expected behavior when the IP phone, registered to a Cisco unified Communications Manager version 11.0 server, dials 83319235?

- A. The call fails because there are no matching patterns
- B. The call is routed immediately toward the gateway without inter-digit timeout.
- C. The call must wait for inter-digit timeout before being routed toward the gateway, unless the "Do Not Wait for Interdigit Timeout on Subsequent Hops" is set on all of the listed translation patterns and route patterns.
- D. The call must wait for inter-digit timeout before being routed toward the gateway, unless the "Do Not Wait for Interdigit Timeout on Subsequent Hops" is set on all of the listed route patterns.
- E. The call must wait for inter-digit timeout before being routed toward the gateway, unless the "Do Not Wait for Interdigit Timeout on Subsequent Hops" set all of the listed translation patterns

**Answer: B**

4. In a Network Function Virtualization reference architecture, which two statements about virtualized network functions are true? (Choose two,)

- A. VNF is the totality of all hardware and software components that build up the NFV environment.
- B. One VNF can be deployed over multiple VMS. where each VM hosts a single component of the VNF.
- C. VNF performs the orchestration and lifecycle management of the software resources that supports the virtualized infrastructure.
- D. VNF is a virtualization of a legacy network function.
- E. VNF functionality includes control and management of the compute, storage, and network resources in the NFV framework.

**Answer: AC**

5. Which Cisco Unity Connection call handler greeting, when enabled, overrides all other greetings?

- A. doted
- B. internal
- C. alternate
- D. busy
- E. holiday

**Answer: C**